




International Journal of Advanced Research in Education and Technology (IJARETY)

Volume 13, Issue 2, March - April 2026

Impact Factor: 8.152



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



Integrating Quantum Vision Theory with Deep Learning for Enhanced Object Recognition

M. Pavan Kumar Reddy¹, Pragnapuram Varunsai², Parimi Venkata Koushik³,

Mangipudi Ram Pranith⁴

Assistant Professor, Department of CSE, Guru Nanak Institute of Technology, Hyderabad, Telangana, India ¹

Students, Department of CSE, Guru Nanak Institute of Technology, Hyderabad, Telangana, India^{2, 3, 4}

ABSTRACT: This project focuses on enhancing object recognition capabilities through the implementation of a quantum-inspired deep learning model. The core objective is to integrate fundamental concepts derived from quantum mechanics such as superposition, entanglement, and probabilistic state representation—into classical neural network architectures to improve both the accuracy and efficiency of image recognition tasks. Traditional deep learning models often struggle when dealing with ambiguous visual inputs, such as images affected by noise, occlusion, or poor lighting conditions

KEYWORDS: Object recognition, quantum mechanics, superposition, entanglement, probabilistic representation, neural networks, image recognition, TensorFlow, Qiskit, PennyLane, hybrid model, quantum-inspired layers, Convolutional Neural Networks (CNNs), classification accuracy, convergence speed, generalization, computer vision, and artificial intelligence.

I. INTRODUCTION

In recent years, the convergence of artificial intelligence (AI) and quantum computing has emerged as one of the most transformative developments in computer science. The rapid growth of deep learning (DL) and computer vision technologies has significantly improved object recognition systems, enabling machines to perceive and interpret visual data with increasing precision. However, conventional deep learning models still face challenges when dealing with ambiguous, noisy, or poorly illuminated images, often resulting in degraded recognition performance and computational inefficiency. To address these limitations, this project proposes an innovative approach that integrates Quantum Vision Theory (QVT) with deep learning architectures to enhance object recognition accuracy, robustness, and processing efficiency.

II. LITERATURE SURVEY

Zhang, L., Li, Y., & Wang, H. (2026) This study introduces Quantum Vision (QV) theory for object recognition, integrating quantum-inspired principles such as superposition and probabilistic wave representations into deep learning models. The proposed approach embeds quantum-inspired layers within CNNs and transformers, enabling simultaneous feature representation and improved pattern recognition.

Kumar, S., & Reddy, P. (2025) This research presents a hybrid quantum-inspired deep learning framework combining classical neural networks with quantum-inspired optimization techniques. Using tools like TensorFlow and PennyLane, the model incorporates probabilistic state representations to enhance feature extraction

Chen, X., & Zhao, Q. (2024) This paper explores the integration of quantum-inspired layers into Convolutional Neural Networks (CNNs) for image classification tasks. By simulating quantum properties such as entanglement and superposition, the model captures complex feature relationships more effectively than traditional CNNs.

Singh, R., & Patel, M. (2023) This work provides a foundational overview of Quantum-Inspired Machine Learning (QiML), focusing on techniques such as tensor networks and quantum probabilistic models. The study highlights how quantum-inspired approaches can be implemented on classical systems without requiring quantum hardware

III. EXISTING SYSTEM

The existing system integrates standard Convolutional Neural Networks (CNNs) with Quantum Vision (QV) theory for object recognition. In this approach, the CNN serves as the primary feature extractor, learning hierarchical representations of input images through convolutional, pooling, and fully connected layers. By itself, a CNN is capable of recognizing patterns and textures in images effectively, but it treats images as static, discrete data, which may limit the richness of the learned representations.

Existing System Disadvantages

- Limited feature representation
- Poor performance under complex conditions
- High computational cost
- Dependency on large datasets

Proposed System

The proposed system extends the CNN + QV concept by integrating the Quantum Vision (QV) block with the **Exception architecture**, forming the Heavy QV-Exception model. Exception is a high-performance deep learning architecture that uses depth wise separable convolutions to efficiently learn complex features with fewer parameters, allowing for deeper and more expressive networks. By combining Exception with QV, the model benefits from both advanced convolutional techniques and quantum-inspired information representation

Proposed System Advantages:

- Enhanced Feature Representation through Quantum Vision Theory
- Superior Object Recognition Accuracy
- Efficient Learning with Depth wise Separable Convolutions
- Improved Robustness to Complex and Noisy Images
- Improved Robustness to Complex and Noisy Images

IV. SYSTEM ARCHITECTURE




Fig 1.1 System Architecture

- The System Architecture illustrates the Exception architecture, which is divided into three main parts Entry Flow, Middle Flow, and Exit Flow.

DOI:10.15680/IJARETY.2026.1302078

- The Entry Flow extracts low-level features from the input image using depth wise separable convolutions, reducing computation while capturing important spatial details.
- The Middle Flow repeats convolutional blocks multiple times to learn complex and abstract features, enhancing the model's ability to recognize diverse objects.
- The Exit Flow refines these features and uses Global Average Pooling (GAP) followed by a SoftMax layer for final classification.

Methodology

Modules Name:

- Dataset Collection and Preprocessing
- Quantum Vision Representation (QV Block Design)
- Integration with the Xception Model
- Model Training and Optimization

1. Dataset Collection and Preprocessing

This module focuses on gathering and preparing image data for training the model. Standard benchmark datasets such as CIFAR-10, CIFAR-100, ImageNet, and MNIST are used to ensure reliable evaluation. The preprocessing steps include resizing images to a uniform size, normalizing pixel values, and applying data augmentation techniques such as rotation, flipping, and brightness adjustment

2. Quantum Vision Representation (QV Block Design)

This is the core module of the system where classical images are transformed into quantum-inspired representations. Based on Quantum Vision Theory, each image is treated as a wave function consisting of amplitude and phase components. Using tools like Qi skit and PennyLane, quantum-inspired transformations such as superposition and entanglement are simulated.

3. Integration with the Exception Model

In this module, the quantum-inspired QV block is integrated with the exception deep learning architecture. The QV block is placed before the Entry Flow of the exception model, transforming input images into wave-based representations. The exception model then processes these features through Entry, Middle, and Exit flows using depth wise separable convolutions

4. Model Training and Optimization

This module handles the training of the hybrid model using frameworks like TensorFlow and PennyLane. The model is trained using optimization algorithms such as Adam, with categorical cross-entropy as the loss function. Techniques like dropout, batch normalization, and learning rate scheduling are applied to improve performance and prevent overfitting. Gradient computation is supported through automatic differentiation, enabling smooth training of both classical and quantum-inspired layers

V. IMPLEMENTATION

The implementation of the project "Integration of Quantum Vision Theory with Deep Learning for Enhanced Object Recognition" follows a hybrid approach that combines classical deep learning with quantum-inspired processing. Initially, image data is collected and preprocessed through resizing, normalization, and augmentation to ensure quality input. A Convolutional Neural Network (CNN) built using frameworks like TensorFlow or PyTorch is used to extract important visual features such as edges, textures, and shapes

Algorithm Used

Existing Algorithm (CNN + QV Model)

The existing system utilizes a Convolutional Neural Network (CNN) integrated with a basic Quantum Vision (QV) approach for object recognition. In this model, the CNN acts as the primary feature extractor, learning hierarchical patterns such as edges, textures, and shapes through convolutional and pooling layers

Proposed Algorithm (Heavy QV-Xception Model)

The proposed algorithm introduces a hybrid approach called the Heavy QV-Xception model, which combines Quantum Vision Theory with the advanced Xception architecture. In this method, input images are first transformed into quantum-inspired wave-function representations using the QV block, capturing both amplitude and phase information.

DOI:10.15680/IJARETY.2026.1302078

VI. EXPERIMENTAL RESULTS

Home Page:




Fig 2: Home Page

The Heavy QV-Xception system represents a cutting-edge fusion of quantum-inspired computing and deep learning, designed to redefine object recognition performance. By integrating Quantum Vision principles with the powerful Xception architecture, the model transforms traditional visual data into richer, wave-based representations that capture deeper patterns and features

Registration Page:




Fig 3: Registration Page

Create your account to unlock the full potential of Heavy QV-Xception and experience advanced object recognition capabilities. Register to access powerful features, manage your projects, and explore intelligent insights with a secure and user-friendly platform designed for seamless interaction.

Login Page:





Fig 4: Login Page:

DOI:10.15680/IJARETY.2026.1302078

Access your Heavy QV-Xception account to continue working with advanced quantum-inspired object recognition tools in a secure and efficient environment. By logging in, you can manage your datasets, monitor model performance, and interact with a powerful dashboard designed for seamless user experience.

Data upload Interface


The interface shows a dark blue background with a white rounded rectangle in the center. Inside the rectangle, the text "Upload Image" is displayed in bold. Below it, there is a file selection area with a button labeled "Choose file" and a text box showing "No file chosen". At the bottom of the white rectangle is a large, dark grey button labeled "Predict".

Fig 5: Data Upload Interface

Upload your image to leverage the full capabilities of the Heavy QV-Xception model for intelligent object recognition. This module allows you to input visual data, which is then preprocessed and transformed into quantum-inspired feature representations before being analyzed by the deep learning architecture.

Detection result page:


The page displays a "Prediction Result" section. It features a central image of a forest floor covered in green moss. Below the image, the text "Predicted Class: forest" and "Confidence: 91.56%" are shown. At the bottom, there is a yellow button labeled "Check Another Image".

Fig 6: Detection result page:

The Prediction Result page presents the final output of the Heavy QV-Xception model after processing the uploaded image through its quantum-inspired deep learning pipeline. The system analyzes complex visual features and patterns to accurately classify the image into a specific category, along with a confidence score that reflects the model's certainty in its prediction.

Performance analysis page:

Training Accuracy

92.44%

Validation Accuracy

93.57%

Confusion Matrix

Actual \ Predicted	Buildings	Forest	Glacier	Mountain	Sea	Street
Buildings	389	10	15	10	5	8
Forest	0	474	0	0	0	0
Glacier	20	0	492	15	15	11
Mountain	15	2	18	462	10	18
Sea	5	0	5	5	505	0
Street	5	2	2	10	0	482

Fig 7: student certificate page

DOI:10.15680/IJARETY.2026.1302078

The Performance Analysis page provides a comprehensive evaluation of the Heavy QV-Xception model, highlighting its effectiveness and reliability across multiple metrics. The training and validation accuracy scores demonstrate the model's ability to learn and generalize well on unseen data, indicating minimal overfitting and strong predictive performance.

VII. CONCLUSION

The project "Integrating Quantum Vision Theory with Deep Learning for Enhanced Object Recognition" has successfully demonstrated how the fusion of Quantum Vision (QV) principles with modern deep learning architectures can lead to a more intelligent, efficient, and accurate object recognition system. The work was motivated by the limitations of conventional convolutional neural networks (CNNs), which, despite their strong performance, often struggle with high computational costs, reduced robustness under challenging visual conditions, and limited interpretability of learned features.

VIII. FUTURE ENHANCEMENT

Future enhancements of the project can include the integration of **real quantum hardware** instead of simulators to achieve higher computational advantages and realistic performance.

REFERENCES

- [1] F. Chollet, "Xception: Deep Learning with Depthwise Separable Convolutions," *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR)*, pp. 1251–1258, 2017, doi:10.1109/CVPR.2017.195.
- [2] I. Cong, S. Choi, and M. D. Lukin, "Quantum Convolutional Neural Networks," *Nature Physics*, vol. 15, no. 12, pp. 1273–1278, 2019, doi:10.1038/s41567-019-0648-8.
- [3] V. Bergholm, J. Izaac, M. Schuld, C. Gogolin, and N. Killoran, "PennyLane: Automatic Differentiation of Hybrid Quantum–Classical Computations," *arXiv preprint arXiv:1811.04968*, 2018.
- [4] X.-S. Yao, W. Luo, F. Yan, and Y. Liu, "Quantum Image Processing and Its Application to Edge Detection: Theory and Experiments," *Quantum Information Processing*, vol. 16, no. 9, p. 208, 2017, doi:10.1007/s11128-017-1674-8.
- [5] F. Yan, "Quantum Image Processing: Review and Future Directions," *Journal of Quantum Information Science*, vol. 9, no. 2, pp. 135–156, 2019, doi:10.4236/jqis.2019.92008.
- [6] M. Schuld, I. Sinayskiy, and F. Petruccione, "An Introduction to Quantum Machine Learning," *Contemporary Physics*, vol. 56, no. 2, pp. 172–185, 2015, doi:10.1080/00107514.2014.964942.
- [7] J. Biamonte, P. Wittek, N. Pancotti, P. Rebentrost, N. Wiebe, and S. Lloyd, "Quantum Machine Learning," *Nature*, vol. 549, no. 7671, pp. 195–202, 2017, doi:10.1038/nature23474.
- [8] X. Gao, Z.-Y. Zhang, and L.-M. Duan, "An Efficient Quantum Algorithm for Generative Machine Learning," *Science Advances*, vol. 4, no. 12, eaat9004, 2018, doi:10.1126/sciadv.aat9004.
- [9] Y. Liu and X. Wang, "Quantum-Inspired Complex-Valued Neural Networks for Image Classification," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 31, no. 4, pp. 1300–1312, 2020, doi:10.1109/TNNLS.2019.2918289.
- [10] B. Coyle, D. Mills, V. Danos, and E. Kashefi, "The Born Machine: Quantum Foundations of Generative Learning Models," *npj Quantum Information*, vol. 6, no. 1, pp. 1–8, 2020, doi:10.1038/s41534-020-0258-8.

International Journal of Advanced Research in Education and Technology

ISSN: 2394-2975

Impact Factor: 8.152